*Mutation Research*, 101 (1982) 341
Elsevier Biomedical Press



# Author index

## Volume 101 (1982)

Ahuja, Y.R., 57
Amer, S.M., 247

Babu, K.A., 315
Barnhart, B.J., 87
Basrur, P.K., 237
Bedenko, V., 141
Bergman, R., 269
Bhatt, D.K., 315
Bhattacharjee, S.B., 329
Bird, R.P., 237
Briggs, G., 141
Bultman, J., 19

Calle, L.M., 99
Casey, G., 257
Chen, D.J.-C., 87
Cheng, C.C., 77

DeFeo, F., 77
Delhanty, J.D.A., 257
Draper, H.H., 237

Eckhardt, K., 293

Fahmy, M.A., 247
Fortnagel, P., 39

Gentile, G.J., 19
Gentile, J.M., 19
Gocke, E., 293

Hoffmann, D., 141

Inoue, K., 305
Ishii, T., 283

Jaju, Madhuri, 57
Jaju, Manjula, 57

Kanaya, N., 165
Karnik, A.B., 315
Kashyap, S.K., 315
Kesler, E., 269
King, M.-T., 293
Klekowski, E., 11
Kline, S.A., 115
Knaap, A.G.A.C., 199
Kramers, P.G.N., 199, 209

Lakkad, B.C., 315
LaVoie, E.J., 141
Levin, D.E., 11
Levis, A.G., 151
Lovely, T.J., 11

McCoy, E.C., 115
Magnusson, G., 269
Martin, S.E., 31
Mazaki, M., 283
Milner, J.A., 13
Montaldi, A., 151

Newman, S.M., 67
Nigam, S.K., 315
Nilsson, L., 269
Nishio, A., 77
Nunez, L.J., 67

Ohe, T., 175
Okamoto, K., 305
Okinaka, R.T., 87

Pal, B., 329
Plewa, M.J., 19
Powrie, W.D., 189

Riebe, M., 39
Rosenkranz, H.S., 1, 115
Rosin, M.P., 189
Rossi, G., 151
Rossi, R., 151

Saito-Suzuki, R., 321
Schillaci, M., 31
Schoeny, R., 45
Sechriest, R., 19
Sekizawa, J., 127
Shibamoto, T., 127
Shirasu, Y., 321
Sincock, A.M., 257
Stella, M., 151
Sterner, O., 269
Stich, H.F., 189
Strniste, G.F., 87
Sullivan, P.D., 99
Summitt, R.L., 67
Sunakawa, T., 305

Takehisa, S., 165
Tanaka, Y., 305
Teramoto, S., 321
Thakore, K.N., 315

Uyeki, M., 77
Uyeta, M., 283

Van Duuren, B.L., 115
Voogd, C.E., 199

Wagner, E.D., 19
Westphal, K., 39
Wickberg, B., 269
Wild, D., 293
Wu, C.H., 189

Zetterberg, G., 269
Zimerson, E., 269

0165-1218/82/0000–0000/$02.75 © Elsevier Biomedical Press

*Mutation Research*, 101 (1982) 343–347
Elsevier Biomedical Press



# Subject index

## Volume 101 (1982)

Acetaldehyde, in cultured mammalian cells, 237
Adriamycin, in Chinese hamster ovary cells, 77
*Agaricus arvensis*, Salmonella assay, 276
*Agaricus bisporus*, Salmonella assay, 274
*Agaricus silvaticus*, Salmonella assay, 274
Agmatine–$H_2SO_4$, in Salmonella, 175
*Albatrellus confluens*, Salmonella assay, 274
Allantoic acid, in Salmonella, 175
Allantoin, in Salmonella, 175
Amines, secondary, pyrolysates, mutagenicity, found by Salmonella test, 175
*p*-Aminophenol, and sister-chromatid exchanges by aniline and norharman in human lymphocytes, 165
Anabasine, Salmonella and *E. coli*, 39
Anatabine, Salmonella and *E. coli*, 39
Anethole, microbial test systems, 127
Aniline, combined with norharman, in human lymphocytes, 165
Anis oil, in microbial test systems, 127
Anthraquinone derivatives, in Chinese hamster ovary cells, 77
Antioxidants, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
*Armillariella mellea*, Salmonella assay, 274
Asbestos, in Chinese hamster and human cell lines, 257
Ascorbic acid, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
L-Ascorbic acid, and tetracycline-induced mutation in cultured Chinese hamster cells, 329

*Bacillus subtilis, rec* assay, triethanolamine, 305
–, safrole-related chemicals, 127
Bacterial systems, chloroalkene epoxides, 115
Benzalkonium chloride, in contact lens solutions, light-induced genetic toxicity, 11
Benzo[*a*]pyrene, -induced mutagenicity in Salmonella, screening of antioxidants, 99
–, S9-activated, 6-thioguanine-resistant mutations in human embryonic skin fibroblasts, 87
Benzylthiocyanate, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
BHA, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
BHT, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Biphenyls, chlorinated, Salmonella, 45
*Boletus edulis*, Salmonella assay, 274
2-Bromoethanol, in Klebsiella, Drosophila and mouse lymphoma cells, 199
1-Bromopropane, in rat, 321
Browning reaction, products, mitotic gene conversion, in yeast, 189

*Calvatia gigantea*, Salmonella assay, 274
Caramelization reaction, in *S. cerevisiae*, 189
Carbazoles, substituted, in Salmonella, 141
Carbofuran, plant and animal activation, 19
Cassia oil, in microbial test systems, 127
Cephaloridine, in human chromosomes in vitro, 57
Chinese hamster, cell lines, asbestos and glass fibre, 257
–, cells, cultured, tetracycline, 329
–, –, in vitro and in vivo, fried sausages study, 293
–, –, triethanolamine, 305
–, ovary cells, DHAQ and related anthraquinone derivatives, 77
Chlordane, plant and animal activation, 19
Chlorinated biphenyls, and chlorinated dibenzofurans, Salmonella, 45
Chloroalkene epoxides, in bacterial systems, 115
2-Chloroethanol, in Klebsiella, Drosophila and mouse lymphoma cells, 199
1-Chloropropane, in rat, 321
Chlorpyrifos, plant and animal activation, 19
Chromium, clastogenic effects, on human lymphocytes, in vitro and in vivo, 151
Cinnamaldehyde, in microbial test systems, 127
Cinnamon bark oil, in microbial test systems, 127

0165-1218/82/0000–0000/$02.75 © Elsevier Biomedical Press

Cinnamyl alcohol, in microbial test systems, 127
Citrus, fruit juices, hydrolysates, Ames assay, 283
CL 64855, Drosophila, 209
Clove oil, in microbial test systems, 127
Contact lens, solutions, light-induced toxicity of thimerosal and benzalkonium chloride, 11
*Coprinus comatus*, Salmonella assay, 276
Cotinine, Salmonella and *E. coli*, 39
Creatine, in Salmonella, 175
Creatinine, in Salmonella, 175
Curacron, plant and animal activation, 19
Cysteamine HCl, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Cysteine, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99

DHAQ, in Chinese hamster ovary cells, 77
Dibenzofurans, chlorinated, Salmonella, 45
1,2-Dibromo-3-chloropropane, and related compounds, in rat, 321
1,2-Dibromopropane, in rat, 321
Diesel, exhausts, direct-acting mutagens, 1
Diethylamine–HCl, in Salmonella, 175
Dihydrouracil, in Salmonella, 175
Dimethylamine–HCl, in Salmonella, 175
7,12-Dimethylbenz[*a*]anthracene, biotransformation of, and dietary selenium, 31
Dimethylnitrosamine, S9-activated, 6-thioguanine-resistant mutations in human embryonic skin fibroblasts, 87
Dimetridazole, Drosophila, 209
Dinitropyrenes, and diesel exhausts, 1
2,3′-Dipyridyle, Salmonella and *E. coli*, 39
Disulfiram, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Doxorubicin, in Chinese hamster ovary cells, 77
*Drosophila melanogaster*, cells in vitro and in vivo, fried sausages study, 293
–, 2-chloroethanol, 2-bromoethanol, 1,2-epoxybutane, epichlorohydrin and glycidaldehyde, 199
–, nitroheterocyclic compounds, sex-linked recessive lethal mutations, 209
Dursban, in mouse bone marrow, 247

ENTQ, Drosophila, 209
Epichlorohydrin, in Klebsiella, Drosophila and mouse lymphoma cells, 199
1,2-Epoxybutane, in Klebsiella, Drosophila and mouse lymphoma cells, 199
*Escherichia coli*, light-induced genetic toxicity of thimerosal and benzalkonium chloride, 11
–, *polA*$^+$/*polA*$^-$, tobacco constituents, 39
–, triethanolamine, 305
*Escherichia coli, (continued)*
–, WP2 *uvrA*, chloroalkene epoxides, 115
–, –, safrole-related chemicals, 127
Estragole, in microbial test systems, 127
Ethanolamines, in vitro transformation assays and other tests, 305
Ethoprop, plant and animal activation, 19
Ethoxyquin, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Eugenol, in microbial test systems, 127

FANFT, Drosophila, 209
Fennel oil, in microbial test systems, 127
Flavonols, hydrolysates of citrus fruit juices, Ames assay, 283
Fonofos, plant and animal activation, 19
Fruit, citrus, juices, hydrolysates, Ames assay, 283
Fungi, larger, screening of specimens in Salmonella, 269
Furaltadone, Drosophila, 209
Furazolidone, Drosophila, 209

Glass fibre, in Chinese hamster and human cell lines, 257
Glutathione, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Glycidaldehyde, in Klebsiella, Drosophila and mouse lymphoma cells, 199
Glycocyamine, in Salmonella, 175
Grape-fruit, juice, fresh, hydrolysates, Ames test, 283
Guanidine, pyrolysates, mutagenicity, found by Salmonella test, 175
Guanidine–$H_2SO_4$, in Salmonella, 175
Gum guiac, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99

*Hebeloma crustuliniforme*, Salmonella, 276
Heptachlor, plant and animal activation, 19
Hexachlorocyclohexane, technical-grade, in Swiss mice, 315
Human, cell lines, asbestos and glass fibre, 257
–, chromosomes in vitro, effect of cephaloridine, 57
–, embryonic skin fibroblasts, 6-thioguanine-resistant mutations by S9-activated promutagens, 87
–, lymphocytes, clastogenic effects of chromium, 151
–, –, combined treatment with aniline and norharman, 165
–, –, nickel-induced sister-chromatid exchange, 67

Hydantoic acid, in Salmonella, 175
Hydantoin, in Salmonella, 175
Hydrolysates, of citrus fruit juices, Salmonella assay, 283
*Hygrophoropsis aurantiaca*, Salmonella assay, 274
*Hypholoma capnoides*, Salmonella assay, 276

Insecticides, plant and animal activation, 19
Irganox 1010, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Irradiation, visible light, genetic toxicity of thimerosal and benzalkonium chloride, 11
Isoeugenol, in microbial test systems, 127
Isosafrole, in microbial test systems, 127

Kaempferol, hydrolysates of citrus fruit juices, Ames assay, 283
*Klebsiella pneumoniae*, 2-chloroethanol, 2-bromoethanol, 1,2-epoxybutane, epichlorohydrin and glycidaldehyde, 199

*Laccaria amethystina*, Salmonella assay, 274
*Lactarius deliciosus*, Salmonella assay, 278
*Lactarius deterrimus*, Salmonella assay, 278
*Lactarius glyciosmus*, Salmonella assay, 278
*Lactarius mitissimus*, Salmonella assay, 278
*Lactarius necator*, Salmonella assay, 276
*Lactarius quietus*, Salmonella assay, 278
*Lactarius resimus*, Salmonella assay, 276
*Lactarius rufus*, Salmonella assay, 278
*Lactarius torminosus*, Salmonella assay, 278
*Lactarius trivialis*, Salmonella assay, 278
*Lactarius vellereus*, Salmonella assay, 276
*Lepista personata*, Salmonella assay, 274
*Lycoperdon perlatum*, Salmonella assay, 274

*Macrolepiota procera*, Salmonella assay, 276
*Macrolepiota rhacodes*, Salmonella assay, 276
Maillard reaction, in *S. cerevisiae*, 189
Malonaldehyde, in cultured mammalian cells, 237
Mandarin orange, juice, fresh, hydrolysates, Ames test, 283
*Marasmius alliaceus*, Salmonella assay, 274
*Marasmius oreades*, Salmonella assay, 274
Metham, plant and animal activation, 19
Methylcarbazoles, in Salmonella, 141
3-Methylcholanthrene, S9-activated, 6-thioguanine-resistant mutations in human embryonic skin fibroblasts, 87
Methyl eugenol, in microbial test systems, 127
Methylguanidine–HCl, in Salmonella, 175
4-Methyl-5-nitroimidazole, Drosophila, 209
Metronidazole, Drosophila, 209
Morpholine, in Salmonella, 175
Mouse, bone marrow, micronuclei induced by Dursban, 247
–, fried sausages study, 293
–, lymphoma cells, L5178Y, 2-chloroethanol, 2-bromoethanol, 1,2-epoxybutane, epichlorohydrin and glycidaldehyde, 199
–, Swiss, technical-grade hexachlorocyclohexane, 315
Mushrooms, screening of specimens, Salmonella assay, 269
Myosmine, Salmonella and *E. coli*, 39

NaDDC, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
NDGA, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
NFOMA, Drosophila, 209
NFTA, Drosophila, 209
Nickel, sister-chromatid exchange, 67
Nicotine, bacterial test systems, 39
Nicotine 1'-*N*-oxide, in Salmonella and *E. coli*, 39
Nicotyrine, Salmonella and *E. coli*, 39
Nifurprazine, Drosophila, 209
Nimorazole, Drosophila, 209
Niridazole, Drosophila, 209
NIT, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Nitrofurantoin, Drosophila, 209
Nitrofurazone, Drosophila, 209
Nitroheterocyclic compounds, in *Drosophila melanogaster*, 209
Nitropyrenes, and diesel exhausts, 1
4-Nitroquinoline *N*-oxide, Drosophila, 209
Nitrovin, Drosophila, 209
Norharman, combined with aniline, in human lymphocytes, 165

Oils, anis, cassia, cinnamon bark, clove and fennel, in microbial test systems, 127
Oleoresin, in microbial test systems, 127
Orange, juice, canned, hydrolysates, Ames test, 283

Pesticides, Dursban in mouse bone marrow, 247
Phenethyl isothiocyanate, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Phenothiazine, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Phenylisothiocyanate, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Phorate, plant and animal activation, 19
Picrolonic acid, Drosophila, 209
Piperazine, in Salmonella, 175

Piperidine, in Salmonella, 175
–, Salmonella and *E. coli*, 39
Piperonal, in microbial test systems, 127
PNTQ, Drosophila, 209
Polyamines, pyrolysates, mutagenicity, found by Salmonella test, 175
Polyvinylpyrrolidone, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Propyl gallate, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Pyridine, Salmonella and *E. coli*, 39
Pyrogallol, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Pyrolysates, from guanidine, ureide, secondary amines and polyamines, found by Salmonella test, mutagenicity, 175
Pyrrole, Salmonella and *E. coli*, 39
Pyrrolidine, in Salmonella, 175
–, Salmonella and *E. coli*, 39

Quercetin, hydrolysates of citrus fruit juices, Ames assay, 283

Rat, 1,2-dibromo-3-chloropropane and related compounds, 321
–, Sprague–Dawley, cells, cultured, malonaldehyde and acetaldehyde, 237
Retinol, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Ronidazole, Drosophila, 209
*Russula aeruginea*, Salmonella assay, 276
*Russula consobrina*, Salmonella assay, 276
*Russula emetica*, Salmonella assay, 276
*Russula fellea*, Salmonella assay, 276
*Russula foetens*, Salmonella, 276
*Russula nigricans*, Salmonella, 276
*Russula obscura*, Salmonella assay, 276
*Russula ochroleuca*, Salmonella assay, 276
*Russula queletii*, Salmonella assay, 276
*Russula xerampelina*, Salmonella assay, 276

S9, activated promutagens, in human embryonic skin fibroblasts, 6-thioguanine resistance, 87
*Saccharomyces cerevisiae*, browning reaction, mitotic gene conversion, 189
–, insecticides, 19
Safrole, -related chemicals, microbial test systems, 127
*Salmonella typhimurium*, Ames test, hydrolysates of citrus fruit juices, 283
–, chlorinated biphenyls and chlorinated dibenzofurans, 45
–, dietary selenium and biotransformation of 7,12-dimethylbenz[*a*]anthracene, 31
*Salmonella typhimurium, (continued)*
–, insecticides, 19
–, in vitro and in vivo, fried sausages study, 293
–, light-induced genetic toxicity of thimerosal and benzalkonium chloride, 11
–, mammalian-microsome test, pyrolysates from guanidine, ureide, secondary amines and polyamines, 175
–, –, screening of specimens of mushrooms, 269
–, reversion assay, safrole-related chemicals in microbial test systems, 127
–, substituted carbazoles, 141
–, TA98, antioxidants, and benzo[*a*]pyrene-induced mutagenicity, 99
–, TA1535, chloroalkene epoxides, 115
–, tobacco constituents, 39
–, triethanolamine, 305
Sarcosine, in Salmonella, 175
Sausages, fried, in Salmonella, Drosophila and mammalian cells, 293
*Scleroderma citrinum*, Salmonella assay, 274
Selenium, dietary, and biotransformation of 7,12-dimethylbenz[*a*]anthracene, 31
Sister-chromatid exchanges, nickel-induced, in human lymphocytes, 67
Sodium bisulfite, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Sodium cyanate, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Sodium selenite, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
*Sparassis crispa*, Salmonella assay, 274
Spermidine, in Salmonella, 175
Spermine, in Salmonella, 175
SQ 18.506, Drosophila, 209
*Stropharia aeruginosa*, Salmonella assay, 276
*Suillus bovinus*, Salmonella assay, 274

TBB, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Terbufos, plant and animal activation, 19
Tetracycline, cultured Chinese hamster cells, 329
THBP, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Thimerosal, light-induced genetic toxicity, contact lens solutions, 11
6-Thioguanine-resistant mutations, by S9-activated promutagens, in human embryonic skin fibroblasts, 87
Thiourea, in Salmonella, 175
TMTH, and benzo[*a*]pyrene-induced mutagenicity in Salmonella, 99
Tobacco, constituents, bacterial test systems, 39
α-Tocopherol, and benzo[*a*]pyrene-induced mu-

tagenicity in Salmonella, 99
1,2,3-Tribromopropane, in rat, 321
1,2,3-Trichloropropane, in rat, 321
*Tricholoma album*, Salmonella assay, 274
*Tricholomopsis rutilans*, Salmonella assay, 274
Triethanolamine, in vitro transformation assays and other tests, 305
Triethylamine–HCl, in Salmonella, 175
Trimethylamine–HCl, in Salmonella, 175
*Tylopilus felleus*, Salmonella assay, 274
Ureide, pyrolysates, mutagenicity, found by Salmonella test, 175

*Xerocomus subtomentosus*, Salmonella assay, 274

Yeast, browning reaction, mitotic gene conversion, 189

*Zea mays*, insecticides, 19
ZK 25.095, 26.173 and 26.306, Drosophila, 209